
AD-A033 344 FLEET WEATHER FACILITY SUITLAND MD F/6 8/12 EASTERN ARCTIC SEA ICE AMALYSES 1972-1975. (U) **JUN 76** UNCLASSIFIED NL 1 oF 3 VD 

## AD AD A3344



MICROCOPY RESOLUTION TEST CHAR NATIONAL BUREAU OF STANDARDS LIKE!





1972-1975

DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited

D D C C IS STREET

Copy available to DDC dres a permit fully legible reproducts

ADA033344

00

19

"

FOREWARD

The U.S. Navy has a long and colorful history of polar exploration and currently is an active participant in the growing national activity in the Arctic and Antarctic. The strategic importance and increased demand for the natural resources of these areas has resulted in a greater requirement for environmental information.

Until a few years ago, reliable see ice information in the polar regions was based on a relatively few shore station and ship reports augmented by limited serial reconnaissance data. These data were further restricted to the relatively small areas observed primarily during the ship operating season. The principal aim of this publication is to provide operators and researchers with historical weekly hemispheric analyses of see ice conditions derived principally from satellite magery supplemented by conventional observations.

The advent of high resolution satellite imagery combined with the ground truth of onventional observations has only recently provided description of the polar ice fields on a emi-synoptic scale. Since 1970, the Fleet Weather Facility at Suitland, Maryland has prepared operational analyses and forecasts of sea ice conditions in the Arctic and Antarctic for the bepartment of Defense and various other users. The results of these initial efforts are outsined herein.

The charts were constructed by Navy ice analysts under operational time constraints from satellite imagery and conventional data. Reanalysis with late data was not normally attempted; rather the current analysis was prepared incorporating this to the extent possible. The analysis was compared with available climatology in an attempt to eliminate gross errors. Scanning radiometer imagery, visual and infrared, from the National Oceanic and Atmospheric Administration (NOAA) satellites and microwave radiometer data from the NIMBUS V research satellite were the primary data sources. Limited use of the Earth Resources LANDSAT and Defense Meteorological Satellite Program (DMSP) imagery as well as conventional observations were utilized. The 19.35 GHZ microwave radiometer with 25 kilometer (KM) resolution aboard NIMBUS V provided an ice edge and limited inner pack conditions. This was the basic data source during the polar night and over areas dominated by persistent cloud cover. During the seasons with adequate light, visual data from the Very High Resolution Radiometer (VHRR) with 1 KM resolution and the 4 KM resolution data from the Scanning Radiometer aboard NOAA 2, 3, and 4 satellites were utilized. Infrared radiometer data was of limited value primarily due to seasonally small water-ice temperature differences.

The user of this publication is reminded that the information presented reflects an initial effort prepared for operational use and should temper his application accordingly. Comments regarding any aspect of the analysis effort are welcomed.


Parkers III Co. M. Date Co. M.

STANFORD C. BALMFORTH
Captain, U.S. Navy
Commanding Officer
Fleet Weather Facility
Suitland, Maryland


REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS
	BEFORE COMPLETING FORM MON NO. 3. RECIPIENT'S CATALOG NUMBER
Z. GOVI NOCESS	NOW NO. W. KILCIPIER I S CALLEGO NO MODELLA
4. TITLE fand Sublitte	5. TYPE OF REPORT & PERIOD COVERE
Eastern Arctic Sea Ice Analyses	
1972 - 1975	1/72 - 12/75
	6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(A)	B. CONTRACT OR GRANT NUMBER(S)
Fleet Weather Facility, Suitland	
Prese weather ractifity, curetain	
9. PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK
Fleet Weather Facility Navy Department	13/2/40
Washington, D. C. 20373	( Files
II. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE
Rept for Jan 72- Dec 75.	(1) Jun 76
The second secon	13. NUMBER OF PAGES
14. MONITORING AGENCY HAME & ADDRESS(II dilierant from Controlling	Office) 15. SECURITY CLASS. (of this report)
	Unclassified
	15. DECLASSIFICATION/DOWNGRADING
	SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)	
Approved for public release; distribution unl	imited
	•
Approved for public release; distribution unl	•
Approved for public release; distribution unl	•
Approved for public release; distribution unl	•
Approved for public release; distribution unl	•
Approved for public release; distribution unl  17. DISTRIBUTION STATEMENT (of the ebetract entered in Block 20, if diff  18. SUPPLEMENTARY NOTES	ereal (tom Report)
Approved for public release; distribution unl  17. Distribution Statement (of the ebetract entered in Block 20, if diff  18. Supplementary notes  19. Key Yords (Continue on reverse elde it necessary and identify by block Bastern Arctic Alaska	ereal (tom Report)
Approved for public release; distribution unl  17. DISTRIBUTION STATEMENT (of the ebetract entered in Block 20, it ditt  18. SUPPLEMENTARY NOTES  19. KEY YORDS (Continue on reverse elde it necessary and identify by block Bastern Arctic Alaska  Ice Bering Soa	ereal (tom Report)
Approved for public release; distribution unl  17. Distribution Statement (of the ebetract entered in Block 20, if diff  18. Supplementary notes  19. Key Yords (Continue on reverse elde it necessary and identify by block Bastern Arctic Alaska	ereal (tom Report)
Approved for public release; distribution unl  17. Distribution Statement (of the ebetract entered in Block 20, if diff  18. Supplementary notes  19. Key Yords (Continue on reverse elde if necessary and identify by block  Bastern Arctic Alaska  Ice Porecasting Sea  Ice Forecasting Chukchi Sea  Sea Ice	ereal from Report)
Approved for public release; distribution unl  17. DISTRIBUTION STATEMENT (of the ebetract entered in Block 20, it ditt  18. SUPPLEMENTARY NOTES  19. KEY YORDS (Continue on reverse side it necessary and identity by block  Bastern Arctic Alaska  Ice Pering Sea  Ice Forecasting Chukehi Sea	number) number) onal sea ice analyses prepared nalyses include the location rations, 7-day forecasts of
Approved for public release; distribution unline.  17. Distribution Statement (of the electric entered in Block 20, if diff.)  18. Supplementary notes  19. Key words (Continue on reverse elde if necessary and identity by block Eastern Arctic Alaska  Ice Bering Sea  Ice Forecasting Chakehi Sea  Sea Ice  20. Abstract (Continue on reverse elde if necessary and identity by block This document presents a sequence of operation weekly for the Department of Defense. The arcon of the ice pack edge, inner-pack ice concentrate position of the ice edge, positions of me	number) number) onal sea ice analyses prepared nalyses include the location rations, 7-day forecasts of


DD 1 JAN 73 1473 EDITION OF 1 HOVES IS ORSOLETE


SECURITY CLASSIFICATION OF THIS PAGE (From Data Entered)





355 1CC-PREE ICE FREE SOUTHERN IGE LIMIT DATE: 10 JAN 1972 FLEWEAFAC SUITLAND A CONCESSATIONS IN A CONCESSATION OF STATE OF ST


















































































































































































































































































AD-A033 344 FLEET WEATHER FACILITY SUITLAND MD F/6 8/12 EASTERN ARCTIC SEA ICE ANALYSES 1972-1975. (U) **JUN 76** UNCLASSIFIED NL 2 oF 3 AD 33344 0






































































































































































































































































R

